



ACCESSORIES PRODUCTS

aula

www.aulastar.com



AULA Brand Introduction

AULA is a world-class, versatile gaming brand that produces gaming hardware and accessories. The brand is inspired by the characteristics of Tarantula spiders and aims to provide products that are fast, durable, cool, and aggressive.

AULA's Tarantula products focus on design, functionality, and technology. We use modern design techniques and employ well-trained designers and engineers to create high-quality gaming hardware and accessories and our products are designed to meet the demands of the global gaming community and offer advanced technology to enhance the user experience.

AULA's diamond logo symbolizes the brand's commitment to providing high-quality gaming hardware with both offensive and defensive capabilities. The trident represents an attack, while the shield symbolizes defence, reflecting the brand's focus on versatility and balance in its products. The combination of the trident and shield in the AULA logo symbolizes both attack and defence, creating a sense of balance and versatility in the brand's offerings and also creating a visual representation of AULA's dedication to delivering top-notch gaming hardware and accessories. The design creates a sense of constant excitement and power, reflecting it's commitment to providing top-quality gaming hardware that gives users an edge in battle. The logo is meant to inspire confidence and drive, putting users in a state of readiness for any gaming challenge they may face.

AULA offers a range of gaming hardware and accessories designed to meet the needs of professional gamers and technology enthusiasts. AULA products offer a balance of advanced technology, modern design, and user comfort, with a focus on clear audio, precise movement, and aesthetics. The brand offers a variety of products including high-performance gaming headsets, gaming mice with high precision, comfortable mouse pads with RGB lighting, ergonomic mechanical keyboards, and many more, to provide a complete gaming experience setup for our consumers.

MAIN PRODUCTS













GAMING MOUSE



Wireless & Wired mouse

- DPI:400-800-1600-2000-2400-4800DPI
- Keys: 8
- Colorful light effects
- Product size: 117 x 76.7 x 39mm
- Lithium batteries: 600mA
- Weight: 92g
- Operating system: WIN2000/XP/7/8/10
- With software



Gaming Mouse S11

Wired gaming mouse

- Number of keys: 4
- DPI: 1200-1600-2400-3600DPI
- Rainbow backlight
- Cable length: 1.5m
- Weight: 81g
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- Without software



Gaming Mouse S11 Pro

- Number of keys: 6
- DPI: 1200-1800-2400-3600DPI
- Rainbow backlight
- Cable length: 1.5m
- Weight: 81g
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- Without software





Gaming Mouse H530

Wireless+BT gaming mouse

- Product size: 118 x 65 x 37mm
- Product weight: 125g
- DPI: 800/1600(default)/2400/4800DPI
- Battery Voltage: 3.7V
- Rated operating current: 20mA
- Charge input: 5V 300mA
- Tracing system: Optical
- Operating System: WindowsXP/7/10/11 etc.
- Without software



Gaming Mouse S12

Wired gaming mouse

- Number of keys: 7
- DPI: 800-1200-1600-2400-4800DPI
- Rainbow backlight
- Cable length: 1.5m
- Weight: 81g
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- With software



Gaming Mouse S13

- Number of keys: 6
- DPI:1200-1600-2400-3600DPI
- Rainbow backlight
- Cable length:1.5m
- Weight: 110g
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- Without software



Gaming Mouse F813

Wireless&Wired gaming mouse

- Number of keys: 7
- DPI: 800-1200-1600-2400-3200-4800DPI
- RGB backlight
- Lithium battery capacity: 400mAh
- Cable length: Type-c 1.5m
- Operating system: Windows 2000/ XP/ 7/8/10/Vista/Mac
- Without software



Gaming Mouse F812

Wired gaming mouse

- Number of keys: 7
- DPI: 1200-2400-4800-7200DPI
- Report rate:125-250-500-1000Hz
- Rainbow backlight
- Cable length: 1.6m
- Weight: 143g
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- With software



Gaming Mouse F813 Pro

- Number of keys: 7
- DPI: 1000-2000-3200-5600-7600-12400DPI
- Report rate: 125-250-500-1000Hz
- RGB backlight
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- With software



- 2.4G Wireless & Wired mouse
- DPI: 400-800-1600-2000-2400-4800DPI
- Colorful light effects
- Product size: 117 x 76.7 x 39mm
- Lithium batteries:600mA
- Weight: 92g
- Operating system: WIN2000/XP/7/8/10
- With software





Gaming Mouse F820

Wired gaming mouse

- Number of keys: 8
- DPI: 800-1200-1600-2400-4800-6400DPI
- Report rate: 125-250-500-1000Hz
- RGB backlight
- Cable length: 1.5m
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- With software



Gaming Mouse S80

Gaming Mouse

- DPI: 1200/1600/2400/3200/4800/7200DPI
- Number of buttons: 7
- Switchable light effect
- Product size: 124 x 78 x 40mm
- Connection: USB
- Weight: 110±10g
- Operating system: Windows 98/2000/ XP/VISTA/7/8/10
- With software



Wired&Wireless&BT gaming mouse

- Mouse size: 120 x 65 x 36mm
- DPI:800-1600-2400-3200-6400-10000DPI
- Weight: 55g
- Charging interface: Type-C
- Battery capacity: 500mAh
- Polling rate: 125Hz-500Hz-1000Hz default 500Hz
- Windows 2000/XP/Vista/7/8/10, Linux, MAC, iOS, Android
- With software





Gaming Mouse F805

Wired gaming mouse

- Number of keys: 8
- DPI:800-1200-1600-2400-4800-6400DPI
- Report rate: 125-250-500-1000Hz
- RGB backlight
- Cable length: 1.5m
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- With software



Gaming Mouse S18

- Number of keys: 7
- DPI: 1200-2400-3200-6400 DPI
- Report rate: 125-250-500-1000Hz
- Cable length: 1.6m
- Weight system: 4.5g * 4pcs
- Operating system: Windows 2000/ XP/7/8/10/Vista/Mac
- With software



Wired&Wireless&BT gaming mouse

- Mouse size: 119 x 62 x 38mm
- DPI: 800-1600-2400-3200-6400-10000DPI
- Charging interface: Type-C
- Battery capacity: 500mAh
- Polling rate: 125Hz-500Hz-1000Hz default 500Hz
- Windows 2000/XP/Vista/7/8/10, Linux, MAC, iOS, Android
- With software









- Connection: Type-C wired & 2.4G wireless & BT
- Number of keys: 68 keys
- Rated voltage: DC 3.7V (full 4.2V)
- Rated current: ≤ 100 mA @3.7V (default light effect) ≤ 20 mA (off backlight)
- Endurance: \geq 28hours (default light effect) \geq 140 hours (off backlight)
- Lithium battery: 2800mAH rechargeable lithium battery
- Charging interface: Type-C interface
- Product size: 330.2 x 120.67 x 45.25mm
- Operating system: WIN XP/WIN7/WIN8/WIN10/ Android/IOS/MAC-With software
- Hot-swappable
- With software








- Connection: Type-C wired & 2.4G wireless & BT
- Multifunctional FN key
- Number of keys: 87 keys
- Hot-swappable
- RGB switchable lighting effects
- Lithium battery: rechargeable lithium battery 2000mAh
- Charging voltage/current: DC 5V/≦450mA
- Rated voltage: DC 3.7V
- Battery life: \ge 25 hours (default lighting effect)
 - \geq 181 hours (with backlight and side lights off)
- Dimensions: 367.72 x 136.05 x 35.94mm
- Weight: 800g
- Operating system: WIN XP/WIN7/WIN8/WIN10/Android/IOS/MAC
- With software







- Connection: Type-C wired & 2.4G wireless & BT
- With Gasket construction
- Number of keys: 99 keys
- RGB switchable lighting effects
- Lithium battery: rechargeable lithium battery 2000mAh*2
- Charging voltage/current: DC 5V/≦600mA
- Rated voltage: DC 3.7V
- Battery life: \ge 32 hours (default lighting effect)
 - \ge 133 hours (with backlight and side lights off)
- Dimensions: 384.98 × 138.20 × 40.68±0.5mm
- Weight: 1074g
- Operating system: WIN XP7/8/10/Android/IOS/MAC
- Hot-swappable
- With software







Mechanical Keyboard F98 Pro

- Connection: Type-C wired & 2.4G wireless & BT
- With Gasket construction
- Number of keys: 95 keys
- Hot-swappable
- RGB switchable lighting effects
- Charging voltage/current: DC 5V/

 600mA
- Rated voltage: DC 3.7V
- Battery life: \geq 19 hours (default lighting effect)
 - \ge 42 hours (with backlight and side lights off)
- Dimensions: 384.98 x 138.2 x 40.68mm
- Weight: 1074g
- Operating system: WIN XP7/8/10/Android/IOS/MAC
- With software







- Connection: Type-C wired & 2.4G wireless & BT
- Product size: 390.63 x 146.78 x 42.57mm
- Product weight: Approx. 1132g (without cable/receiver)/ Approx. 1183g (with cable/receiver)
- Keys: 99
- Hot-swappable
- Rated Voltage:DC 3.7V (Full 4.2V)
- Capacity:8000mAh(2*4000mAh) Rechargeable Li-ion Battery
- Rated current: 150mA @3.7V (default light effect)/20 mA (off all lights)
- Endurance: Approx. 53 hours (default light effect)/ Approx. 400 hours (all lights off)
- Operating system: WIN XP7/8/10/Android/IOS/MAC
- with software







- Connection: Type-C wired & 2.4G wireless & BT
- Number of keys: 87 keys
- Hot-swappable
- FN key multifunction
- Dimensions: 365.9 x 139 x 41.1mm
- Weight: approx. 916g (without cable/receiver) approx. 935g (with cable/receiver)
- Charging voltage/current: DC5V 600mA
- Rated voltage: DC 3.7V (full 4.2V)
- Current rating: 180mA @37V (default light effect) /15 mA (all lights off)
- Endurance: approx. 22 hours (default light effect) / approx. 266 hours (with all lights off)
- Operating system: WIN XP7/8/10/Android/IOS/MAC
- With software







- Connection: Type-C wired & 2.4G wireless & BT
- Rated voltage: DC 3.7V (full 4.2V)
- Capacity: 2000mAH rechargeable lithium battery
- Charging voltage/current: DC 5V/ \leq 600mA, charge about 5 hours
- Rated Current: \leq 125mA @3.7V(default light effect)/

 \leq 30 mA(backlight and light bar off)

- Endurance: \geq 16 hours (default light effect)/

 \geq 66 hours (backlight and light bar off)

- Product Dimensions: 316.5 x 107.5 x 30.89mm
- Visible operating distance: 10m
- Windows ALL OS WIN XP, WIN7, WIN8, WIN10, Bluetooth mode available for MAC PC, Android phone or tablet, IOS phone or tablet
- With software







Mechanical Number Pad F21

- Connection: Type-C wired & 2.4G wireless & BT
- Number of keys: 21 keys
- Hot-swappable
- Rated voltage: DC 3.7V (full 4.2V)
- Rated current: ≤ 28 mA @3.7V (default light effect) ≤ 12 mA (off backlight)
- Endurance: \geq 21hours(default light effect) \geq 50hours(Off backlight)
- Charging voltage/current: DC 5V/ \leq 650mA, charge about 1.5 hours.
- Li-ion battery: 600mAH rechargeable Li-ion battery
- Charging interface: Type-C interface
- Product weight: about 158g (without cable)
- Product size: 120.56 x 82.56 x 37.81mm
- Operating system: WIN XP7/8/10/Android/IOS/MAC







Membrane keyboard

- Connection: USB
- FN key multi-function
- Number of keys: 104 keys
- Size: 457.82 x 160.17 x 28.82mm
- Weight: 562g
- Operating system: WIN XP/7/8/10
- With software







Wired gaming keyboard

- Number of the keys: 104/105/106 keys
- Alluminium top case
- RGB backlight
- Anti-Ghosting for 26 keys
- Multimedia function via FN key
- Knob: V ± // backlight brightness
- Arrows switched to WASD
- Cable Length: 1.8M
- Operating system: Windows 2000/ XP/7/8/10
- With software







Wired gaming keyboard

- Connection method: USB
- Number of keys: 104/105/106
- Key stroke: 2.0mm
- Rated voltage: DC 5V
- Rated current: <150mA
- Size: 458.2 x 183.2 x 41.24mm
- Weight: 870g
- Operating system: WIN XP/WIN7/WIN8/WIN10
- With software







TKL Wired gaming kyeboard

- Number of keys: 61 keys
- RGB backlight (green-red-blue-purple-cyan-yellow-white)
- Multimedia function via Fn
- Operating system: Windows 2000/ XP/7/8/10
- Without software








- Number of keys: 87/88/89 keys
- Rainbow backlight
- Type-C connection
- Cable length: 1.5m
- KRGD Blue/Red/Brown/Black switch
- Key life: 60 million
- Multimedia function via FN key
- Anti-Ghosting for all keys (FN+SCR) /Anti-Ghosting for 6 keys (FN+PRT)
- Operating system: Windows 2000/ XP/7/8/10
- With software








- Number of keys: 87
- Rainbow backlight
- Cable length: 1.6m
- KRGD Blue/Red/Brown/Black switch
- Key life: 60 million
- Multimedia function via FN key
- Anti-Ghosting for all keys (FN+SCR)
- /Anti-Ghosting for 6 keys (FN+PRT)
- Operating system: Windows 2000/ XP/7/8/10
- With software







- Number of keys: 104/105/106 keys
- Rainbow backlight
- Cable length: 1.6m
- KRGD Blue/Red/Brown/Black switch
- Key life: 60 million
- Multimedia function via FN key
- Anti-Ghosting for 26 keys
- Operating system: Windows 2000/ XP/7/8/10
- With software







Mechanical Keyboard F2066-II

- Number of keys: 104/105/106 keys
- Rainbow backlight
- Cable length: 1.6m
- KRGD Blue/Red/Brown/Black switch
- Key life: 60 million
- Multimedia function via FN key
- Anti-Ghosting for all keys
- Metal top case
- Operating system: Windows 2000/ XP/7/8/10
- With software







- Number of keys: 104/105/106 keys
- Rainbow backlight
- Cable length: 1.6m
- KRGD Blue/Red/Brown/Black switch
- Key life: 60 million
- Dedicated media control
- Anti-Ghosting for all keys
- Magnetic Palm wrist rest for ultimate comfort
- Operating system: Windows 2000/ XP/7/8/10
- With software








- Number of keys: 104 keys for EN layout
- Rainbow backlight
- Cable length: 1.6m
- KRGD Blue/Red/Brown/Black switch
- Key life: 60 million
- Dedicated media control
- Anti-Ghosting for all keys
- Magnetic Palm wrist rest for ultimate comfort
- Operating system: Windows 2000/ XP/7/8/10
- With software







Mechanical Keyboard F2088 Pro

- Number of keys: 104 keys for EN layout
- Rainbow backlight
- Cable length: 1.6m
- KRGD Blue/Red/Brown/Black switch
- Key life: 60 million
- Dedicated media control
- Anti-Ghosting for all keys
- Magnetic Palm wrist rest for ultimate comfort
- Operating system: Windows 2000/ XP/7/8/10
- With software







- 3 in 1 Wired & Wirelesss & BT 5.0
- Number of keys: 104/105/106 keys
- Aluminum Top Plate
- Ultra-slim & Pressure Sensitive for blue switch
- Tactile travel: 1.5mm
- Key life: 50 million
- Apple-Android-Win
- 2200mA Lithium battery
- Dedicated media control
- Operating system: Windows 2000/ XP/7/8/10
- With software







- Connection: USB
- FN key multi-function
- Number of keys: 87 keys Size: 367.72 x 136.05 x 35.94mm
- Weight: 827g
- Key life times: 60 million
- Rated voltage: DC 5V
- Rated current: <200mA
- Operating system: WIN XP/WIN7/WIN8/WIN10
- With software









- Number of keys: 108 keys
- Rainbow backlight
- Cable length: 1.8m
- KRGD Blue/Red/Brown/Black switch
- Key life: 60 million
- Anti-Ghosting for all keys
- Operating system: Windows 2000/ XP/7/8/10
- With software









- Connection: Type-C wired & 2.4G wireless & BT
- Number of keys: 87keys
- Light:RGB switchable lighting effects
- Lithium battery: rechargeable lithium battery 2000mAh
- Charging voltage/current: DC 5V/ \leq 450mA
- Rated voltage: DC 3.7V
- Dimensions: 356 x 104.2 x 33.86mm
- Weight: 487g
- Operating system: WIN XP/WIN7/WIN8/WIN10/Android/IOS/MAC
- With software







- Connection: Type-C wired & 2.4G wireless & BT
- Number of keys: 108keys
- Light:RGB switchable lighting effects
- Lithium battery: rechargeable lithium battery 2000mAh
- Charging voltage/current: DC 5V/≦380mA
- Rated voltage: DC 3.7V
- Dimensions: 453.09 x 144.48 x 39.66mm
- Weight: 880g
- Operating system: WIN XP/WIN7/WIN8/WIN10/Android/IOS/MAC
- With software





- Connection: Type-C wired & 2.4G wireless & BT
- Number of keys: 61keys
- Hot-swappable
- Light: RGB switchable lighting effects
- Rated voltage: DC 3.7V
- Dimensions:298.38 x 108.19 x 37.02mm
- Weight: 431g
- Operating system: WIN XP/WIN7/WIN8/WIN10/Android/IOS/MAC
- With software







- Connection: Wired
- Keys: 83keys
- Hot-swappable
- Keylife: 50 million
- Tactile force: 60±10g
- Tactile travel: 2mm±0.6
- Dedicated media control
- N-key rollover Anti-ghosting
- Dimensions: 329 x 139 x 41.5mm
- Operating system: WIN XP/WIN7/WIN8/WIN10
- With software







- Connection: Wired
- Keys:97keys
- Hot-swappable
- Keylife: 50 million
- Tactile force : 60±10g
- Tactile travel: 2mm±0.6
- Dedicated media control
- N-key rollover Anti-ghosting
- Dimensions:386 x 139 x 41.5mm
- Operating system: WIN XP/WIN7/WIN8/WIN10
- With software







- Wired & 2.4G wireless Gaming mechanical keyboard
- Hot-Swappable
- Keys: 87Keys
- Rainbow backlight
- Dedicated knob
- Lithium battery: 2000mA
- Size: 356.5 x 136.9 x 43.3mm
- Weight: 610g
- Operating system: WIN XP/WIN7/WIN8/WIN10
- With software







- Wired & 2.4G wireless Gaming mechanical keyboard
- Hot-Swappable
- Keys: 104Keys
- Rainbow backlight
- Dedicated knob
- Lithium battery: 2000mA
- Size: 438 x 128 x 49.8mm
- Weight: 760g
- Operating system: WIN XP/WIN7/WIN8/WIN10
- With software





Membrane Combo T102

Wired keyboard

- Connection method: USB
- Number of keys: 104/105/106
- Key stroke: 2.0mm
- Rated voltage: DC 5V
- Rated current: <150mA
- Size: 458.2 x 183.2 x 41.24mm
- Weight: 870g
- Operating system: WIN XP/WIN7/WIN8/WIN10

Wired mouse

- Product size: 128 x 72 x 37mm
- Product weight: 143 g
- DPI: 1200-2400-4800-7200DPI
- Number of keys: 6
- Polling rate: 125Hz
- Operating system: WIN XP/WIN7/WIN8/WIN10





Membrane Combo T650

Wired keyboard

- Connection method: USB
- Number of keys: 108
- Rated voltage: DC 5V
- Rated current: <150mA
- Size: 440 x 193 x 33mm
- Weight: 605g
- Operating system:WINDOWS/95/98/ ME/NT /XP/WINDOWS VISTA / 7/ 8/10

Wired mouse

- DPI: 800-1600-2400-3600DPI
- Colorful light effects
- Product size: 123x63x42mm
- Connection: USB
- Cable length: 1.5m
- Weight: 81g
- Operating system: Windows 2000/WIN XP/WIN7/WIN8/WIN10

Mousepad - Size: 250 x 210 x 1.7mm Wired headset

- Frequency response range: 20Hz~20KHz
- Speaker diameter: Φ50mm
- Input impedance: 32±15% Ω
- Speaker sensitivity: 118±3dB
- Microphone sensitivity: -40±2dB
- Headband: Adjustable
- Connection: 3.5mm*2+USB
- Color: Black
- Weight: 288g
- Cable length: 2.0m
- Product size: 185 x 98 x 216mm



Membrane Combo T201

Wired membrane keyboard

- Rainbow Light
- Number of buttons: 104/105/106
- Product size: 416 x 152.6 x 25.9mm
- Product weight: 468g
- Operating system: WIN XP/ WIN7/WIN8/WIN10
- With software

Wired Mouse

- Number of buttons: 7
- DPI: 800-1200-1600-2400DPI
- Product size: 124 x 70 x 40.5mm
- Product weight: 125g
- Operating system: WIN XP/ WIN7/WIN8/WIN10



Membrane Combo F2023

Wired membrane keyboard

- Connection: USB
- FN key multi-function
- Number of keys: 104 keys
- Size: 457.82 x 160.17 x 28.82mm
- Weight: 562g
- Operating system: WIN XP/7/8/10
- With software

Gaming Mouse

- DPI: 800/1200/1600/2400DPI
- Keys: 6
- Polling rete: 125Hz
- Size: 124 x 64 x 40mm
- Weight: 115g
- Operating system: WIN XP/7/8/10



Membrane Combo F3061


Wired membrane keyboard

- Connection: USB
- FN key multi-function
- Number of keys: 104 keys
- Size: 445 x 133 x 36mm
- Weight: 401g
- Operating system: WIN XP/7/8/10
- Without software

Gaming Mouse

- DPI: 1200DPI
- Keys: 3
- Size: 128 x 65 x 37.5mm
- Weight: 80g
- Operating system: WIN XP/7/8/10





GAMING HEADSET





- Version: 3.5mm*2+USB for backlight
- Diameter: Φ50mm
- Frequency range: 20Hz ~ 20kHz
- Sensitivity: 118 ± 3dB
- Impedance: 32 Ω
- Mic sensitivity: -38 dB
- Ear cup with Volume control
- Cable length: 1.8m
- Without software







- Frequency response ranget: 20Hz ~20kHz.
 Rated voltage: DC 5V
 Rated current: <190mA

- Speaker diameter: Ф50mm
- Input impedance: 322 ± 15%
- without software
- sensitivity: 112 ± 3dB
- Microphone sensitivity: -44 ± 2dB
- Cable length: 2.0m
- Product size: 180 x 230 x 100mm
- Without software







3 in 1 RGB Wireless Gaming Headset

- Wired & 2.4G wireless & BT 5.0
- Pair name:
- Speaker diameter: Φ50mm
- Lithium battery: 3.7V -1000mAh
- On-Ear volume control and Mute
- Latency: 2.4G<35ms
- Playing time: Backlight off: 2.4G>20H Backlight on: 2.4G>15H
- Without software












- Version: 3.5mm*2+USB/USB for RGB backlight
- Frequency response range: 20Hz~20KHz
- Diameter: 50mm
- Sensitivity: -38±3dB
- Headset weight: 330g±5g
- Product size: 185 x 97 x 213.5mm
- Cable length: 2.1m
- Without software








- Version: USB2.0 + RGB backlight
- Diameter: Φ50mm
- Frequency range: 20Hz ~ 20kHz
- Sensitivity: 118 ± 3dB
- Impedance: 32 Ω
- Mic sensitivity: -38 dB
- With cable control
- Cable length: 2.0m
- Without software











- Version: USB for RGB backlight
- Frequency response range: 20Hz~20KHz
- Diameter: 50mm
- Sensitivity: -38±3dB
- Headset weight: 330g±5g
- Product size: 220 x 104 x 225mm
- Cable length: 2.1
- Without software







- Frequency response range: 20Hz ~ 20kHz.
- Speaker diameter: Φ50mm
- Input impedance: 21 ± 15% Ω
- Speaker sensitivity: 115 ± 3dB
- Microphone sensitivity: -38± 2dB
- Connection: 3.5mm+USB
- Cable length: 2.1m
- Product size: 230 x 200 x 100mm
- Without software







- 3 in 1 RGB Wireless Gaming Headset
- without software
- Wired & 2.4G wireless & BT 5.0
- Pair name: AULA F608
- Speaker diameter: Φ50mm
- Mic: $\Phi4015~3.3V~2.2K\Omega~-38dB$
- Lithium battery: 3.7V -1500mAh
- On-Ear volume control and Mute
- Latency: 2.4G<28ms, BT<175ms
- Playing time:

Backlight off: BT>40H 2.4G>24H Backlight on: BT>24H 2.4G>16H

- Without software





GAMING SPEAKER



Gaming Speaker N-525

Multi-colour Desktop Speaker

- Version: USB 2.0 & 3.5mm
- Size: 63 x 85 x 95mm
- 1.2m with cable volume control
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



Gaming Speaker N-526

Multi-colour Desktop Speaker

- Version: USB 2.0 & 3.5mm
- Size: 73 x 86 x 120mm
- 1.2m with cable volume control
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



Gaming Speaker N-69

Multi-colour Desktop Speaker

- Version: USB 2.0 & 3.5mm
- Size: 85 x 91 x 118mm
- 3W*2 Speakers
- 1.2m with cable volume control
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



Gaming Speaker N-108

Multi-colour Desktop Speaker

- Version: USB 2.0 & 3.5mm
- Size: 67 x 80 x 98mm
- Drive unit: 2 inch*2
- 3W*2 Speakers
- 1.2m with cable volume control
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



Gaming Speaker N-301

Multi-colour Desktop Speaker 2.0

- Version: USB 2.0 & 3.5mm
- Size: 80 x 93 x 180mm
- Drive unit: 2.5 inch*2
- 3W*2 Speakers
- One-Knob for Volume control
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



Gaming Speaker N-521

Multi-colour Desktop Speaker 2.0

- Version: USB 2.0 & 3.5mm
- Size: 80 x 90 x 180mm
- Drive unit: 2 inch*2
- 3W*2 Speakers
- 1.2m with cable volume control
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



Gaming Speaker N-169B/N-169B BT

Multi-colour Desktop Speaker

- Version: USB2.0&3.5mm/BT
- Size: 330*58*75mm
- Drive unit: 2 inch*2
- 3W*2 Speakers
- One-Knob for Volume control
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



Gaming Speaker N-189

Multi-colour Desktop Speaker 2.1


- Version: USB 2.0 & 3.5mm
- Size: 77 x 95 x 174mm
- Drive unit: 3inch+ 2 inch*2
- 3W*2 Speakers
- Full-Range speakers with Deep Bass
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



Gaming Speaker N-170

Multi-colour Desktop Speaker

- Version: USB 2.0 & 3.5mm
- Size: 311 x 61 x 62.3mm
- Drive unit: 2 inch*2
- 5W*2 Speakers
- Cable control
- Sleek & Space-saving
- Lightweight and Compact size
- Plug and play & Universal compatibility Gaming



GAMING PERIPHERALS



MP-XL Mouse Pad

- size:900 x 400 x 3mm
- with sewing edge



MP-W Mouse Pad

- size:300 x 250 x 2mm
- with sewing edge
- PE bag packing



MP-WFFM Mouse Pad

- size:700 x 300 x 2mm
- with sewing edge
- PE bag packing



F65 RGB Headset Stand

Material:ABS(Wire drawing) Colour: Black Size:115 x 115 x 284mm Weight: about 256g Transfer Speed: <480Mbps Rated power: 5V<1000mA Cable: 1.6m (USB-A) Input interface: PC USB 3.0 (Preference) / USB 2.0 Port support system: Win XP/Vista/7/8/ 8.1/10/IOS10.0/Macos



F-X5 Mouse Pad

- Size: 800 x 300 x 4mm - RGB backlight



AULA Gaming PC Case

- Size: 330 x 200 x 445mm
- Motherboard support: ATX/MICROE-ATX/ITX
- CPU cooler H: 160MM
- GPU length: 320MM
- PSU length: ATX
- Audio interface: USB3.0*1+USB2.0*2 + HD AUDIO
- PCI: 7
- HDD*2, SSD*3
- Fan size: front 3*12cm (Include & already inside) rear 1*12cm (Include & already inside) top 2*12cm (Not include)
- RGB controller (Include)
- Cooller size: top 240 (Not include)





- Size: 330 x 200 x 445mm
- Motherboard compatability: ATX/MICROE-ATX/ITX
- CPU cooler H: 160MM
- GPU length: 350MM
- PSU length: ATX
- Audio interface: USB3.0*1+USB2.0*2 + HD AUDIO
- PCI: 7
- HDD*2, SSD*3
- Fan size: front 3*12cm (Include & already inside) rear 1*12cm (Include & already inside) top 2*12cm (Not include)
- RGB controller (Include)
- Cooller size: top 240 (Not include)



AULA Gaming PC Case

- Size: 320 x 180 x 410mm
- Motherboard support: ATX/MICROE-ATX/ITX
- CPU cooler H: 155MM
- GPU length: 310MM
- PSU length: ATX
- Audio interface: USB3.0*1+USB2.0*2 + HD AUDIO
- PCI: 7
- HDD*1, SSD*2
- Fan size: front 3*12cm//rear 1*12cm (Include & already inside)
- RGB controller (Include)



PC Gaming Case FZ004

AULA Gaming PC Case

- Size: 330 x 192 x 435mm
- Motherboard support: ATX/MICROE-ATX/ITX
- CPU cooler H: 160MM
- GPU length: 320MM
- PSU length: ATX
- Audio interface: USB3.0*1+USB2.0*2 + HD AUDIO
- PCI: 7
- HDD*2, SSD*3
- Fan size: front 3*12cm (Include & already inside) rear 1*12cm (Include & already inside) top 2*12cm (Not include)
- RGB controller (Include)



AULA Gaming PC Case

- Size: 378 x 190 x 447mm
- Motheroard support: ATX/MICROE-ATX/ITX
- CPU Height: 165mm
- Ports:USB3.0*1+USB2.0*2+ HD AUDIO
- PCI: 7
- Graphics card length: 305mm
- Power support: ATX, Micro-ATX
- HDD*1, SSD*1
- Fan Support: Front 3*12cm+Back 1*12cm+Top2*12cm



PC Gaming Case FZ006

- Category: PC gaming case
- Motheroard support: ATX/MICROE-ATX/ITX
- Ports: USB3.0*1+USB2.0*2+ HD AUDIO
- PCI: 7
- Graphics card length: 305mm
- product size: 380 x 200 x 445mm
- Power support: ATX
- Hard Disk Bit: HDD*1 ,SSD*1
- Fan Support: Front 3*12cm+Back 1*12cm+Top2*12cm
- CPU Height: 155mm



- Category: PC gaming case
- Motheroard support: ATX/MICROE-ATX/ITX
- Ports: USB3.0*1+USB2.0*2+ HD AUDIO
- PCI: 7
- Graphics card length: 305mm
- product size: 380 x 200 x 445mm
- Power support: ATX
- Hard Disk Bit: HDD*1 ,SSD*1
- Fan Support: Front 3*12cm+Back 1*12cm+Top2*12cm
- CPU Height: 155mm



PC Power Supply FD01

PC Power Supply 500W/600W

- Size: 160 x 150 x 86mm
- Efficiency (Typical): 82/85/82
- Fan size: 14cm
- Mainboard power connector: 24P: 500mm
- CPU Power connector: P4+4: 600mm
- GPU connector: P6+2=>6+2: 500+150mm
- SATA connector: SATA&SATA: 500+150mm*3
- Protection: SCP/OVP/OPP/UVP

PC Power Supply FD02

PC Power Supply 650W/750W/850W

- Size: 160 x 150 x 86mm
- Efficiency (Typical): 87/90/87
- Fan size: 14cm
- Mainboard power connector: 24P: 550mm
- SATA connector: SATA&SATA&
- SATA&SATA: 500+150mm
- Protection: UVP,OCP,SCP,OVP,UVP,OTP,OPP





W001

Category:Water-cooling

- TDP:120 water cooling: 150V
- starting voltage: DC 12V/DC 5V
- Fan Current: |0.24 / 0.73 & IAX .
- Noise: 23 dB [Max.]
- Pump speed: 2600 ± 10% FPI
- fan Speed: PWM 800 2000RPI

- water pump product siz: 75 x 55mm
- fan product size :120 x 120 x 25mm
- Fan Working temperature plate range: -10° ~70°
- Pump Operating temperature range: -10° ~60°
- Wire: Motor Power Cable: 2510-4pin;
- Lighting power cable: 3PIN ABB male and female

W002

Category:Water-cooling

- TDP240 water cooling:250V
- starting voltage: DC 12V/DC 5V
- Fan Current: |0.24 / 0.73 & IAX .
- Noise: 23 dB [Max.]
- Pump speed: 2600 ± 10% FPI

- fan Speed: PWM 800 2000RPI
- water pump product siz: 75 x 55mm
- fan product size: 240 x 120 x 25mm
- Working temperature plate range: -10° ~70°
- Wire: Motor Power Cable: 2510-4pin;
- Lighting power cable: 3PIN ABB male and female





W003

Category:Water-cooling

- TDP360 water cooling:350V
- starting voltage: DC 12V/DC 5V
- Fan Current: 0.24 / 0.73 & IAX .
- Noise: 23 dB [Max.]
- Pump speed: 2600 ± 10% FPI
- fan Speed: PWM 800 2000RPI

- water pump product siz: 75 x 55mm
- fan product size :360 x 120 x 25mm
- Fan Working temperature plate range: -10° ~70°
- Pump Operating temperature range: -10° ~60°
- Wire: Motor Power Cable: 2510-4pin;
- Lighting power cable: 3PIN ABB male and female



Gaming Chair

- Seat cushion :
- Backrest: plastic+ Nylon mesh
- Armrest: linkage armrest
- Gas lift: Class 3, 80mm
- Headrest + Lumbar pillow
- Footrest: 350mm Nylon
- Wheel : PU



Gaming Chair F1007

Gaming Chair

- Frame: metal
- Seat+Backrest: mould foam
- Fixed Armrest
- Adjustable backrest:
- 90°~155° or 90°~180°
- Headrest + Lumbar pillow
- Gas lift: Class 3, 80mm
- Footrest: 350mm Nylon
- Wheel: PU





Gaming Chair

- Frame:
- Seat+Backrest:
- Fixed Armrest
- Adjustable backrest: 90°~125°
- Headrest + Lumbar pillow
- Gas lift: Class 3, 80mm
- Footrest: 350mm Nylon
- Wheel : PU



.....

Gaming Chair F8041

RGB Gaming Chair

- Frame: metal
- Seat+Backrest: mould foam
- Fixed Armrest
- Adjustable backrest: 90°~155° or 90°~180°
- Headrest + Lumbar pillow
- Gas lift: Class 3, 80mm
- Footrest: 350mm Nylon
- Wheel : PU





Gaming Chair

- Frame: 1.2mm metal
- Seat+Backrest: cutting foam
- Armrest: 2D
- Adjustable backrest: 90°~180°
- Headrest + Lumbar pillow
- Gas lift: Class 3, 80mm
- Footrest: 350mm Nylon Base
- Wheel: 50mm Nylon





Gaming Chair F1029

Gaming Chair

- Frame: 1.2mm metal
- Seat+Backrest: mould foam+cutting foam
- Armrest: 2D
- Adjustable backrest: 90°~180°
- Headrest + Lumbar pillow
- Gas lift: Class 4, 80mm
- Footrest: 350mm metal
- Wheel: 50mm Nylon





Gaming Chair

- Frame: 1.2mm metal
- Seat+Backrest: mould foam+cutting foam
- Armrest: 3D
- Adjustable backrest: 90°~180°
- Headrest + Lumbar pillow
- Gas lift: Class 4, 80mm
- Footrest: 350mm metal
- Wheel: 65mm Nylon



Gaming Chair F1031

Gaming Chair

- Frame: metal
- Seat+Backrest: mould foam
- Armrest: 4D

(up-down, forwards-backwards,

- left-right, raotated inwards-outwards)
- Adjustable backrest: 90°~180°
- Headrest + Lumbar pillow
- Gas lift: Class 4.80mm
- Footrest: 350mm metal
- Wheel : 65mm Nylon









凯皇轴V2

KAYKING SWITCH V2

INK CRYSTAL SWITCH V3

墨晶轴V3

ICESOUL SWITCH

冰魄轴

枸杞轴V3

WOLFBERRY SWITCH V3

CHIVE SWITCH V2

韭黄轴V2



GRAYWOOD SWITCH V3

灰木轴V3

JUGGLE TACTILE SWITCH V2

积木轴V2

灵动轴V2

标棕轴 STANDARDBROWN SWITCH

凯皇轴 каукілд зжітсн





ROCKLEE SWITCH 洛克轴

SWITCHES SERIES

ICECRYSTAL SWITCH

冰晶轴(未润油)





Mechanical Keyboard K81

- Connection: Type-C wired & 2.4G wireless & BT
- Keys: 81keys
- Hot-swappable
- Productsize: 335.05(L)x141.55(W)x45.19(H)
- Product weight: about 1088g (without cable/receiver)
- Rated voltage: DC3.7V (full 4.2V)
- Capacity: 3000mAH rechargeable lithium battery
- Charging voltage/current: DC 5V 600mA, charging for about 7.5 hours.
- Rated current: 160mA @3.7V (default lighting effect)≤15mA(backlight off)
- Endurance: 18.5 hours (Default light effect)≥ 200 hours (Backlightand scroll light off)
- Operating system: WIN XP7/8/10/Android/IOS/MAC
- with software







DIY Hot-Swappable Keyboard Kit K81Pro

- Product size: 335.05 x 141.55 x 45.19mm
- Product weight: about 905.6g (excluding shaft body and keycap)
- Rated voltage: DC 3.7V (full of 4.2V)
- Capacity: 3000mAH rechargeable lithium battery
- Charging voltage/current: DC 5V 600mA, charging for about 6 hours.
- Rated current: \leq 120mA @3.7V (default lighting effect)/ \leq 50mA (off backlight and wheel light)
- Battery life: \geqq 25 hours (default lighting effect) / \geqq 60 hours (turn off backlight and wheel light)







DIY Hot-Swappable Keyboard Kit Hi75

- Connection: Type-C wired & 2.4G wireless & BT
- Key: 81 keys
- Without the keycaps and switch
- Product size: 330 x 136 x 45mm
- Product weight: about 1230g (excluding wire)
- Rated current (RGB version): DC5V 450mA
- WIN XP, WIN7, WIN8, WIN10
- With software







Mechanical Number Pad K21

- Product size: 120.56 x 82.56 x 37.81mm
- Product weight: The weight of the finished product is about 195g, and the weight of the kit (excluding the shaft body and keycap) is about 129.6g
- Rated voltage: DC3.7V (full of 4.2V)
- Capacity: 600mAH rechargeable lithium battery
- Battery charging voltage/current: DC5V --- 650mA, fully charged for about 1 hour
- Rated current: 28mA@3.7V (default lighting effect)/12mA (backlight off)
- Battery life: ≥ 21 hours (default lighting effect) ≥ 50 hours (turn off the backlight)





- size: 800 x 300 x 2mm
- Craft: rubber + Jiaji cloth 5MM white line edging



- size: 800 x 300 x 2mm
- Craft: rubber + Jiaji cloth 5MM white line edging



- size: 800 x 300 x 2mm
- Craft: rubber + Jiaji cloth 5MM white line edging



- size: 370 x 87 x 25mm
- Material: cloth + memory foam + rubber bottom



- size: 370 x 87 x 25mm
- Material: cloth + memory foam + rubber bottom



- size: 370 x 87 x 25mm
- Material: cloth + memory foam + rubber bottom

OFFICE MODELS PRESENTATION

4

delete

return

shift

4.

P

25

cms

70

0

0

114

8

U

0

20

1500

tob

cops lock

shift

fri

Q

CTP

A

opt

6



Wired Mouse AM100

Product parameters

- Connection: USB wired
- Tracking System: Optical LED
- Number of buttons: 3
- Resolution: 1200 DPI
- Button life: 3 million times
- Product weight: about 75g
- Productsize: 110.3 x 59.5 x 32.7mm
- Voltage and current: DC5V/≤100mA
- System: Windows2000/WNXP/WIN7/ WIN8/WIN10



Wired Mouse AM102

- Connection: USB wired
- Tracking System: Optical LED
- Number of buttons: 4
- Resolution: 800-1200-1600-2400 DPI
- Button life: 3 million times
- Product weight: about 65g
- Productsize: 120 x 65 x 38mm
- Voltage and current: DC5V/≤100mA
- System : Windows2000/WNXP/WIN7/ WIN8/WIN10



Wired Mouse AM103

- Connection: USB wired
- Tracking System: Optical LED
- Number of buttons: 3
- Resolution: 1200 DPI
- Button life: 3 million times
- Product weight: about 75g
- Productsize: 116.5 x 61.5 x 37.9mm
- Voltage and current: DC5V/≤100mA
- System: Windows2000/WNXP/WIN7/ WIN8/WIN10



Wired Mouse AM104

Product parameters

- Connection: USB wired
- Tracking System: Optical LED
- Number of buttons: 3
- Resolution: 1200 DPI
- Button life: 3 million times
- Product weight: about 75g
- Productsize: 116.5 x 61.5 x 37.9mm
- Voltage and current: DC5V/≤100mA
- System: Windows2000/WNXP/WIN7/ WIN8/WIN10

Wired Mouse AM106

Product parameters

- Connection:USB wired
- Tracking System:Optical LED
- Number of buttons:4
- Resolution:1000-1600-2000DPI
- Button life: 3 million times
- Product weight: about 75g
- Productsize:119.3 x 65 x 30mm
- Voltage and current:DC5V/≤100mA
- System :Windows2000/WNXP/WIN7/ WIN8/WIN10



Wireless Mouse AM206

- Transmission method: 2.4GHz
- Transmission distance: 10M
- Resolution: 800-1200-1600 DPI
- Voltage and current: DC1.5V/13mA
- Product weight: about 75g(including receiver)
- Battery: AA*1
- Product size: 119.3 x 65.0 x 30mm
- System Requirements: Microsoft Windows2000/WINXP/WIN7/WIN8/WIN10



Wireless Mouse AM205

Product parameters

- Transmission method: 2.4GHz
- Transmission distance: 10M
- Resolution: 800-1200-1600 DPI
- Voltage and current: DC1.5V/13mA
- Product weight: about 75g(including receiver)
- Battery: AA*1
- Product size: 117 x 62.2 x 35.3mm
- System Requirements: Microsoft Windows2000/WINXP/WIN7/WIN8/WIN10



Wireless Mouse AM201

Product parameters

- Transmission method: 2.4GHz
- Transmission distance: 10M
- Resolution: 1200 DPI
- Voltage and current: DC1.5V/13mA
- Product weight: about 65g(including receiver)Battery: AA*1
- Product size: 110.3 x 59.5 x 32.7mm
- System Requirements: Microsoft Windows2000/WINXP/WIN7/WIN8/WIN10



Wireless mouse AM204

- Transmission method: 2.4G & BT
- Transmission distance: 10M
- Resolution: 800-1200-1600 DPI
- Voltage and current: DC1.5V/13mA
- Product weight: about 75g(including receiver)
- Battery: AA*1
- Product size: 119.3 x 65 x 30mm
- System Requirements: Microsoft Windows2000/WINXP/WIN7/WIN8/WIN10





Wireless Keyboard AWK310

- Connection: BT
- WirelessDistance: 10M
- Key Life: 10 Million Times
- Voltage/Current: DC3V/8mA
- Key force: 55±5g
- Product Size: 346 x 161 x 27mm
- Product weight: 420±10g
- Support system: Win8/Win10/Android5.0 and above/iOS13/MacOSX10







Wired Keyboard AK205

- Connection Type: USB Wired
- Key life: 10 million times
- Weight: about 385g
- ProductSize: 447 x 137.6 x 26mm
- Current/Voltage: DC5V/≤50mA
- System Requirements: Windows2000/ WINXP/WIN7/WIN8/WIN10







Product parameters

- Connection Type: USB Wired
- System Requirements: Windows2000/WINXP/WIN7/ WIN8/WIN10

Keyboard

- Weight:about 385g
- Size: 447 x 137.6 x 26mm
- Current/Voltage: DC5V/≤50mA

- Tracking System: Optical LED
- Number of buttons: 3
- DPI: 1200DPI
- Key life: 3 million times
- Weight: about 75g
- Size: 110.3 x 59.5 x 32.7mm
- Current/Voltage: DC5V/≤100mA







Product parameters

- Connection Type: USB Wired
- System Requirements: Windows2000/WINXP /WIN7WIN8/WIN10 Keyboard
- Weight:about 473g
- Size:449.6 x 139.6 x 24.6mm
- Current/Voltage:DC5V/≤50mA

- Tracking System: Optical LED
- Number of buttons: 3
- DPI: 1200DPI
- Key life: 3 million times
- Weight: about 72.5g
- Size: 116.5 x 61.5 x 37.9mm
- Current/Voltage: DC5V/≤100mA







Product parameters

- Connection Type: USB Wired
- System Requirements: Windows2000/WINXP /WIN7WIN8/WIN10 Keyboard
- Weight:about 458g
- Size:448 x 142 x 25.2mm
- Current/Voltage: DC5V/≤50mA

- Tracking System: Optical LED
- Number of buttons: 3
- DPI: 1200DPI
- Key life: 3 million times
- Weight: about 75g
- Size: 117.3 x 61.7 x 36.6mm
- Current/Voltage: DC5V/≤100mA







Product parameters

- Connection Type: USB Wired
- System Requirements: Windows2000/WINXP /WIN7WIN8/WIN10

Keyboard

- Weight: about 650g
- Size: 448 x 178 x 38mm Current/Voltage:DC5V/≤200mA

- Tracking System: Optical LED
- Number of buttons: 3
- DPI: 1200DPI
- Key life: 3 million times
- Weight: about 100g
- Size: 121.5 x 64 x 39mm
- Current/Voltage: DC5V/≤100mA







Wireless Combo AC203

Product parameters

- Connection Type: 2.4G
- System Requirements: Windows2000/WINXP /WIN7WIN8/WIN10
- battery: AAA*3

Keyboard

- Weight: about 449g
- Size: 443.8 x 155.6 x 23mm
- Current/Voltage: DC1.5V/≤9mA

- Tracking System: Optical LED
- Number of buttons: 3
- DPI: 800-1200-1600DPI
- Key life: 1 million times
- Weight: about 65g
- Size: 110 x 67 x 37mm
- Current/Voltage: DC3V/≤11mA









Product parameters

- Connection Type: USB Wired
- System Requirements: Windows2000/WINXP /WIN7WIN8/WIN10

Keyboard

- Weight: about 700g
- Size: 435x125x38.6mm
- Current/Voltage: DC5V/≤100mA

- Tracking System: Optical LED
- Number of buttons: 3
- DPI: 1200DPI
- Key life: 3 million times
- Weight: about 72.5g
- Size: 116.5 x 61.5 x 37.9mm
- Current/Voltage: DC5V/≤100mA







Wireless Combo AC306

Wireless Combo

- Keyboard size: 445 x 136 x 35±2mm
- Keyboard weight: 658g ± 5g
- keyboard Keys: 104 key
- Mouse size: 109 x 63 x 36mm
- DPI: 800-1000-1600DPI
- Mouse weight: 50g ± 5g
- Mouse Keys: 4 keys
- System compatible: WIN XP/7/8/10/ MAC







Wireless Combo AC208

- Connection: 2.4G Wireless
- FN key multi-function
- Number of keys: 104 keys
- Size: 440 x 132 x 29mm
- Weight: 545g
- Li-ion battery: 1300mA
- Charging current: 200mAh
- Voltage/current: 3.6V/45mA (with backlight on)

- Wireless Mouse
- Connection: 2.4G Wireless
- Keys: 5 keys
- Li-ion battery: 400mA
- DPI: 800DPI / 1200DPI(default) / 1600DPI
- Size: 102 x 65 x 38mm
- Mousepad: 300 x 250 x 2mm







Speaker AD116

- Pairing model: AD116
- Rated power(10% THD): 2.5W+2.5W THD≤5%
- Listening time: 8 hours
- Features: RGB Backlight

Speaker AD201

Speaker AD201

- Pairing model: AD201
- Rated power(10% THD): 30W+10W THD≤5%
- Battery Capacity: 3.7V/2100mA/H(2S2P)
- Listening time: 8 hours
- Charging time: about 2.5 hour
- Receiving distance: ≥10M
- Charging Voltage: 9V±0.25V
- Charging Current: 3A
- Charging port: TYPE-C







Karaoke speaker AK815

Karaoke speaker AK815

- Pairing model: AK815
- Product Size: 340 x 239 x 180mm
- Rated power(10% THD): 40W+10W(x2)THD≤5%
- Battery Capacity: 3.7V/2100mA/H(4S2P)
- Listening time: 8 hours
- Charging time: about 3 hour
- Receiving distance: ≥10M
- Charging Voltage/Current: 18V/2.4A
- Features: Network connection, Multiple sounds change modes.
- Indoor/outdoor karaoke mode,
- Customized according to personal preferences

AMARIA

Karaoke speaker AK812

Karaoke speaker AK812


a state

- Pairing model: AK812
- Product Size:309 x 216 x 162 mm
- Rated power(10% THD): 30W+10W(x2)THD≤5%
- Battery Capacity: 3.7V/2100mA/H(3S2P)
- Listening time: 8 hours
- Charging time: about 3 hour
- Receiving distance: ≥10M
- Charging Voltage/Current:15V/2.4A
- Features: Network connection,
- Multiple sounds change modes,
- Indoor/outdoor karaoke mode,


Customized according to personal preferences

Karaoke speaker AK811

- Pairing model: AK811
- Product Size: 275 x 191 x 162mm
- Rated power(10% THD): 20W+10W(x2)THD≤5%
- Battery Capacity: 3.7V/2100mA/H(3S2P)
- Listening time: 6 hours
- Charging time: about 3 hour
- Receiving distance: ≥10M
- Charging VoltageCurrent:15V/2.4A
- Features: Network connection, Multiple sounds change modes, Indoor/outdoor karaoke mode, Customized according to personal in









Wireless singing and listening all-in-one microphone K10

- Rated Inout : 5W
- BT Version: V5.3
- Frequency response range: 65~20KHz
- Pairing Name: aula K10
- Transmission range: >10m Charging
- Interface: Type-C
- Battery type: 18650 3.7V/1200mA
- Charging voltage: 5V- 500mA
- Product size: 237.9x Ø87mm







Wireless Karaoke speaker K11

- Rated Input: 7W(MAX 10W)
- Bluetooth version: V5.3
- Frequency response range: 65~20KHz
- Battery type: 18650 3.7V/1800mA
- S/N Ratio: >80dB
- Charging interface: TYPE-C
- Sound source: BTAUXITF
- Charging voltage: 5V-1A
- Transmission range: >10m
- Product size: 148 x 128 x 115.5mm











Wireless Karaoke speaker K12

- Rated Input: 35W
- Bluetooth version: V5.3
- Frequency response range: 65~20KHz
- Battery type: 18650 7.4V/2S2P(2000mAx4)
- S/N Ratio: >80dB Charging
- Interface: TYPE-C
- Sound source: BTAUXITFUdisk
- Chargingvoltage: 5V=1.5A
- Transmission range: >10m
- Product size: 342.5 x 224 x 147mm





尺寸: 295x210mm 材质:封面封底157g内页80g 工艺:四色印刷+胶装